



TIBREWALA ELECTRICALS
Committed to Quality & Service

EXPERIENCE THE

Art of Illumination





TIBREWALA ELECTRICALS
Committed to Quality & Service

ABOUT US

At Tibrewala Electricals, we redefine the art of illumination by seamlessly blending cutting-edge technology with timeless design. With a distinguished legacy spanning over two decades, we have emerged as a leading force in the lighting industry—transforming spaces through innovation, precision, and sophistication.

From our early roots in conventional lighting to our evolution into advanced LED solutions, our journey reflects a relentless pursuit of excellence and a deep understanding of modern lighting needs. Every product we create is a testament to our commitment to quality, performance, and aesthetic brilliance.



TIBREWALA ELECTRICALS
Committed to Quality & Service

OUR MISSION

To create Intelligent, Energy-Efficient lighting solutions that seamlessly combine innovation, durability, and elegance — enriching everyday living while promoting environmental responsibility and sustainability.



TIBREWALA ELECTRICALS
Committed to Quality & Service

WHY CHOOSE US

With more than 25 years of industry expertise, Tibrewala Electricals stands for reliability, craftsmanship, and innovation. We deliver premium-quality lighting solutions backed by rigorous quality standards, contemporary designs, and comprehensive warranties across our industrial and domestic product range. Our focus on excellence ensures not just illumination, but lasting trust and refined performance for every space we light.

CONTENT

01	PANEL & SURFACE	6-20
02	SPOT LIGHT	21-31
03	BULBS & BATTENS	32-37
04	COZYLUMES	38-60
05	OUTDOOR SEGMENT	61-70



TIBREWALA ELECTRICALS
Committed to Quality & Service



TIBREWALA ELECTRICALS
Committed to Quality & Service

PANEL & SURFACE

Experience the perfect harmony of design and performance with our premium range of LED Panels and Downlights. Crafted to deliver seamless illumination, these fixtures offer a clean, modern aesthetic while ensuring uniform light distribution with minimal glare.

SLIM LUMEX SERIES PANEL

3W/6W/12W/15W/18W/24W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/3IN1

TIBREWALA ELECTRICALS

SLIM LUMEX SERIES Panel represents engineering at its finest. Its premium aluminium body, combined with high-grade powder coating, creates a sophisticated, minimalist design that elevates any space.

Watt	COLOUR TEMP	DIMENSION LxBxH(mm)	Cut Out (mm)
3W	CW/NW/WW	85x85x23	70
6W	CW/NW/WW/ 3in1	120x120x23	105
12W	CW/NW/WW/ 3in1	145x145x23	125
15W	CW/NW/WW	170x170x23	155
18W	CW/NW/WW	225x225x23	205
24W	CW/NW/WW	300x300x23	280





Together's
the Beautiful
PLACE
to be

SLIM ECO SERIES PANEL

8W/15W/22W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/3 IN 1

Features:

- In-built driver
- PC body
- Flicker-free
- Surge protected
- High PF

Watt	Colour Temp	Cut-Out (mm)	DIMENSION LxWxH(mm)
8W	CW/NW/WW/ 3in1	100x100	115 × 115 × 35
15W	CW/NW/WW/ 3in1	150x150	165x165x35
22W	CW/NW/WW	200 × 200	215 × 215 × 35

TIBREWALA ELECTRICALS

Elegantly housed within a durable polycarbonate body, the Slim Eco series Panel is crafted for modern interiors. Effortless to install and maintain, it offers a perfect blend of style, efficiency, and convenience.





ALUMINUM SURFACE PANELS

6W/12W/15W/18W

COOL WHITE/NEUTRAL WHITE/WARM WHITE


Features :

- Instant illumination
- Energy efficient
- Ideal for indoor spaces

Watt	Length (mm)
6W	120x120x35
12W	170x170x35
15W	170x170x35
18W	225x225x35

TIBREWALA ELECTRICALS

Ultra-thin and beautifully crafted, the Aluminium Surface Panel showcases refined engineering.





MOON SURFACE LIGHT

8W/15W/22W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/3in1


Features :

- Integrated driver
- Enhanced surge protection
- Direct mounting
- Superior light diffusion

WATT	COLOUR TEMP	OUTTER (mm)
8W	CW/NW/WW	115 × 115 × 35
15W	NW-WW(3-IN-1)	140 × 140 × 35
22W	CW/NW/WW	165 × 165 × 35

TIBREWALA ELECTRICALS

Seamlessly installable directly onto ceilings, the Moon Surface Panel offers effortless elegance. With its sleek, frameless design, it enhances spaces beautifully—especially where false ceilings are absent.





LED DEEP DOWNLIGHT

12W/18W/22W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/3-IN-1


Features:


- Extremely slim LED Panel
- High Power Factor
- Surge Protection up to 2.5KV
- Die-cast aluminium body
- High-grade powder coating
- Available in black and white body
- Reflectors Rose Gold White/Black

WATT	COLOUR TEMP	CUT OUT	DIMENSION
12W	CW/NW/WW CW-NW- WW(3-IN-1)	95x95	100x100x50
18W	CW/NW/WW CW-NW- WW(3-IN-1)	125x125	130x130x50
22W	CW/NW/WW CW-NW- WW(3-IN-1)	145x145	150x150x50

TIBREWALA ELECTRICALS

Delivering bright, focused illumination through a sleek recessed design, this lighting solution is ideal for high ceilings and spaces requiring uniform light distribution. It minimizes glare while ensuring clear visibility, and with energy-efficient LED technology, offers long-lasting performance with reduced power consumption.





MOTION MATRIX PANEL

Key Features

- Built-in motion sensor + LED driver
- Auto ON/OFF & dimming (15%–30%)
- Detection range up to 8 meters
- Glare-free 120° wide beam
- Energy saving up to 80%
- Long life: 50,000 hours

Specifications

- Wattage: 6W / 9W / 12W / 15W / 18W / 22W / 36W
- Voltage: 185–265V AC
- Colour Options: Warm / Natural / Cool White (3000K–6500K)
- Efficiency: Up to 120 lm/W
- CRI: >80%

SENSOR CHARACTERISTICS	
Sensor Make	Microwave
Detection Distance	8m / 15m
Detection Angle	160°
Mounting Height	2m – 6m
Hold Time	20s / 60s / 180s
Standby Dimming Level	15% – 30%

TIBREWALA ELECTRICALS




MOTION MATRIX SURFACE

Key Features

- Built-in sensor with LED driver
- 2-step dimming control
- Suitable mounting height: 2–6 meters
- On/Off or dimming options (15%–30%)
- Wide detection range up to 8 meters
- Stable and reliable sensing performance
- Single-end power with anti-electric shock safety
- High efficacy with minimal glare
- Advanced high-tech optical design

Specifications

- Long life & high efficiency performance
- Rated lifetime of 50,000+ hours
- Reduced maintenance cost
- Extruded aluminium body with high-efficiency PC diffuser
- High luminous efficacy up to 120 lm/W
- Enhanced energy savings
- Protection against overload, over-voltage, short circuit & reverse polarity
- IP20 ingress protection rating



SENSOR CHARACTERISTICS	
Sensor Make	Microwave
Detection Distance	8m / 15m
Detection Angle	160°
Mounting Height	2m – 6m
Hold Time	20s / 60s / 180s
Standby Dimming Level /	15% – 30% or 0%

COLOUR WAVE SURFACE PANEL

Features:

- Dual colour lighting
- Surface-mounted design
- Uniform illumination
- Energy efficient
- Durable build

Wattage	Size	Height	Voltage
3W+3W	105	35	4kV / 440V
6W+3W	145	35	4kV / 440V
12W+4W	190	35	4kV / 440V

TIBREWALA ELECTRICALS

Sleek and versatile, Colour Wave Surface Panel brings dual-tone lighting to modern spaces. Designed for uniform illumination with energy-efficient performance and a clean surface finish.



COLOUR WAVE PANEL

3W+3W/ 6W+3W / 12W+4W

Features:

- Dual colour lighting
- Uniform illumination
- Slim design
- Energy efficient
- Durable body

Wattage	Size	Cutout	Voltage
3W+3W	105x28	65	4kV / 440V
6W+3W	145x28	100	4kV / 440V
12W+4W	190x28	150	4kV / 440V

TIBREWALA ELECTRICALS

Dynamic and vibrant, Colour Wave Panel creates a seamless blend of tones for modern spaces. Perfect for adding mood, style, and energy with efficient illumination.





TIBREWALA ELECTRICALS
Committed to Quality & Service

SPOT LIGHT

Premium in design, Spotlight delivers sharp, focused illumination with elegance. Perfect for highlighting spaces with a sophisticated touch.

RAINBOW JUNCTION LIGHT

7+7W/12+12W

COOL WHITE+WARM WHITE/BLUE/PINK/RGB

Features:

- Light, Polycarbonate Body
- In-built driver
- Frameless LED
- Ultra slim round concealed dual color LED panel light
- Switch power on/off to change light mode for Pure Color



WHITE + BLUE WHITE + PINK WHITE + WARM WHITE

WHITE + RGB

WATT	COLOUR TEMP	CUT OUT	DIMENSION
7+7W	CW+WW/BL/PN/RGB	50x50	85x85x46
12+12W	CW+WW/BL/PN/RGB	50x50	115x115x46

TIBREWALA ELECTRICALS

Adjust your lighting. Elevate your space. Seamless colour transitions for every ambiance.





JUNCTION LIGHT

4W/7W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/BLUE/PINK
RED/GREEN


Features:

- In-built driver
- Lightweight polycarbonate body
- Anti-flicker LED light
- In-built surge protection
- High power factor

WATT	COLOUR TEMP	CUT OUT	OUTER
4W	CW/WW/NW/R E/GR/BL/PN	50x50	80x80x30
7W	CW/WW/NW/R E/GR/BL/PN	85x85	110x110x65
	Also available in C+W+N/R+B+P/ G+B+SKB		

TIBREWALA ELECTRICALS

Adjust your lighting. Elevate your space.
Seamless colour transitions for every ambiance.



LED STICKER

3W/6W

Features :

- In-Built Driver
- Superior Surge Protection
- Can be fixed directly on the wall/ceiling
- High-grade diffuser



WARM WHITE



BLUE



RED



PINK




GREEN

WATT	COLOUR TEMP	OUTER
3W	CW/WW/BL/G R/PN/RE	50x50
6W	CW/WW/BL/GR/ PN/RE	

TIBREWALA ELECTRICALS

Clean design, strong illumination – LED Stricker delivers uniform light with a sleek surface finish. Perfect for modern spaces, offering energy efficiency with reliable performance.



WHITE

SURFACE STICKER

3W

COOL WHITE/NEUTRAL WHITE/WARM WHITE

Features :


- In-Built Driver
- Superior Surge Protection
- Can be fixed directly on the wall/ceiling
- High-grade diffuser
- IP65

Parameter	Details
CCT	WW
Watt	3W
Body Colour	Black
Outer Size	50 x 50 mm

TIBREWALA ELECTRICALS

Sleek surface-mounted design that blends seamlessly with modern interiors.

Delivers bright, uniform lighting with energy-efficient performance.



2W MINI SPOT LIGHT

COOL WHITE/WARM WHITE/BLUE/RED/GREEN


Features:

- Ideal for niche area or to spotlight
- Aluminium extruded body with heat sink
- Best for product highlighting

Parameter	Details
CCT Options	CW, WW, NW, Red, Green, Blue, Pink
Body Colour	White
Wattage	2W
Cut Out Size	33 x 33
Outer Size	42 x 42 x 17
Driver Type	Driverless

TIBREWALA ELECTRICALS

Compact in size, powerful in focus — 2W Mini Spot Light delivers precise accent lighting. Perfect for highlighting décor with energy-efficient performance.



LUXE METAL SPOT 3W

Features:

- Deep focus beam
- Compact design
- Anti-glare lighting
- Energy-efficient
- Ideal for accent lighting

Dimension	Cut-Out (mm)	Body Color	Beam Angle	Special Feature
38x28	28	WH / BK / RGD	38°	Focus beam

TIBREWALA ELECTRICALS

Designed for precision, the Luxe Metal Spot Light delivers sharp and focused illumination, making it ideal for highlighting specific areas with a clean, minimal look



CURVE SPOT LIGHT

7W/12W/18W


Features:

- Stylish curved design
- Focused beam lighting
- Anti-glare output
- Energy-efficient
- Ideal for modern interiors

Power (W)	Dimension	Cut-Out (mm)	Body Color	Chip Size	Beam Angle	Special Feature
7W	70×60	65	Multi finish	13.5×13 .5×11	24°	Unique curved design
12W	85×65	80	Multi finish	13.5×13 .5×11	24°	
18W	95×75	90	Multi finish	13.5×13 .5×11	24°	

TIBREWALA ELECTRICALS

Enhance your interiors with Curve COB Lights, featuring a unique curved design that adds a stylish touch while delivering precise and focused illumination.



CURVE SPOT LIGHT

Features:

- Ideal for niche spotlighting
- Aluminium body with heat sink
- Great for product highlighting
- Compact driverless design

Parameter	Details
CCT	CW / WW / NW
Body Colour	White / Black / Copper
Wattage	3W
Shape	Round
Cut Out	33 × 33 mm
Outer Size	42 × 42 × 17 mm

TIBREWALA ELECTRICALS

Designed for precise spotlighting, this Curve Spot light is ideal for niche and accent areas. Built with an aluminium body and heat sink, it ensures durability and efficient performance, perfect for product highlighting.



LUMEX SWIVEL DOWNLIGHT

3W/6W/9W/16W/24W/30W/50W

Features:

- Adjustable beam direction
- Focused illumination
- Anti-glare lighting
- Energy-efficient
- Ideal for accent lighting

Power (W)	Dimension	Cut-Out (mm)	Beam Angle
3W	65x32	55	24°
6W	90x53	75	38°
9W	90x63	100	38°
16W	115x70	115	55°
24W	135x80	125	55°
30W	160x90	135	55°
50W	160x105	135	55°

TIBREWALA ELECTRICALS

Experience versatile lighting with Lumex Swivel, designed to adjust the beam direction as needed. Perfect for highlighting specific areas, it offers flexibility with a clean, modern look.



FLEXI COB

3W/6W

COOL WHITE/NEUTRAL WHITE/WARM WHITE/BLUE/PINK
 COOL-NEUTRAL-WARM WHITE(3-IN-1) RED-BLUE-
 PINK(3-IN-1)ARM WHITE/BLUE/RED/GREEN

Features:

- Perfect for niche areas and spotlighting
- Aluminium extruded body with efficient heat dissipation
- Ideal choice for highlighting products

Enjoy precise lighting control with the Flexi COB Downlight. Designed to direct light exactly where needed, it's perfect for accenting spaces and highlighting details with bright, focused illumination



Parameter	Details	
Wattage	6W	3W
CCT Options	6K, 4K, 3K, C+W+N, R+B+P	6K, 4K, 3K, C+W+N, R+B+P
Colour Options	Red, Blue, Green, Pink, G+B+SKB	Red, Blue, Green, Pink, G+B+SKB
Cut Out Size	76x76	52 x 52



TIBREWALA ELECTRICALS
Committed to Quality & Service

BULBS & BATTEN

Reliable and efficient, Bulbs & Batten provide bright, uniform illumination for everyday spaces.

Designed for durability and energy savings with consistent performance.

SPARK SERIES

12W/15W

COOL WHITE/WARM WHITE

Features:

- Self-ballasted retrofit bulb with durable PBT body and PC diffuser
- Advanced hybrid solution
- Driver efficiency $\geq 85\%$ with THD $\leq 20\%$
- Energy-efficient performance

Parameter	12W	15W
Input Voltage	80V–300V AC	80V–300V AC
Rated Frequency	50Hz	50Hz
Power Factor	>0.95	>0.95
Luminous Efficiency	$>100 \text{ lm/W}$	$>100 \text{ lm/W}$

TIBREWALA ELECTRICALS

This Spark Series combines high brightness, energy efficiency, and dependable performance for everyday lighting needs.



BRIGHT WAVE SERIES

20W/30W/40W/50W/

COOL WHITE/WARM WHITE

Features:


- Hybrid technology with high-wattage performance
- Driver efficiency $\geq 90\%$
- Total Harmonic Distortion (THD) $\leq 20\%$

Watt	20W	30W	40W	50W
Input Voltage	80V–300V AC	80V–300V AC	80V–300V AC	80V–300V AC
Rated Frequency	50Hz	50Hz	50Hz	50Hz
Power Factor	>0.95	>0.95	>0.95	>0.95
Working Humidity	5%–95% Non-Condensing	5%–95% Non-Condensing	5%–95% Non-Condensing	5%–95% Non-Condensing
Luminous Efficiency	>100 lm/W	>100 lm/W	>100 lm/W	>100 lm/W

TIBREWALA ELECTRICALS

Elevate your business space with the high-Bright wave series. Engineered for powerful brightness, it enhances functionality while adding a refined, modern touch. Its sleek design and energy-efficient performance create a professional yet inviting ambience.





BATTENS

24W/40W/60W


COOL WHITE/WARM WHITE

- Features:
- Uniform light distribution
- Inbuilt driver
- Wide coverage diffuser
- UV/IR free & mercury-free

Watt	24W (PC)	40W (PC)	60W Tube Light
Power Consumption	24W	40W	60W
Lumens	2400 lm	4000 lm	6000 lm
Rated Voltage	220–240V AC	220–240V AC	240V
Features	High Voltage Withstand 440V	High Voltage Withstand 440V	Long Lasting
Average Life	25,000 Hours	25,000 Hours	25,000 Hours

TIBREWALA ELECTRICALS

Discover the elegance of our Batten, designed to blend seamlessly with any décor. Offering a maintenance-free experience, it delivers high brightness, energy efficiency, and lasting performance—enhancing your space with effortless style.







TIBREWALA ELECTRICALS
Committed to Quality & Service

COZYLUMES

Ideal for creating a warm, inviting ambience in home spaces, enhancing comfort and relaxation. Perfect for adding a soft, cosy glow that makes everyday living feel more welcoming.

MOVABLE CYLINDRICAL LIGHT

7W / 12W / 18W


Features:

- Adjustable beam angle
- Precision lighting
- Smooth movement
- Energy-efficient
- Ideal for accent use

Power (W)	Dimension	Body Color	Beam Angle	Special Feature
7W	63×H92	Multi Finish	24	Movable surface
12W	74×H98	Multi Finish	36°	
18W	83×H105	Multi Finish	36°	

TIBREWALA ELECTRICALS

Control your lighting with the Movable cylindrical light designed to direct light precisely where needed. Ideal for highlighting spaces with flexibility and focused illumination.



PRISM DOWN

7W / 12W / 18W


Features:

- Reduced glare output
- Smooth light distribution
- Enhanced visual comfort
- Focused illumination
- Premium finish design

Power (W)	Dimension	Cut-Out (mm)	Body Color	Beam Angle	Special Feature
7W	62×H40	55	Multi Finish	24°	Anti-glare
12W	82×H45	75	Multi Finish	24	
18W	105×H50	95	Multi Finish	38°	

TIBREWALA ELECTRICALS

Enhance visual comfort with the Prism Down, designed to minimise harsh glare while delivering smooth, focused illumination. Ideal for creating a refined and comfortable lighting experience.



VORTEX CORE

7W / 12W / 18W

Features:

- Reduced glare output
- Smooth light distribution
- Enhanced visual comfort
- Focused illumination
- Premium finish design

Power (W)	Dimension	Cut-Out (mm)	Body Color	Chip Size	Beam Angle	Special Feature
7W	62×H50	55	Multi Finish	13.5×13.5×11	24	Multi reflector
12W	85×H64	75	Multi Finish	13.5×13.5×11	38°	
18W	105×H72	95	Multi Finish	13.5×13.5×11	38°	

TIBREWALA ELECTRICALS

Enhance visual comfort with the Vortex core, reducing glare while delivering smooth, focused light. Perfect for refined spaces that demand both clarity and comfort.



HALO SLIM

7W / 12W / 18W


Features:

- Reduced glare output
- Smooth light distribution
- Enhanced visual comfort
- Focused illumination
- Premium finish design

Power (W)	Dimension	Cut-Out (mm)	Body Color	Chip Size	Beam Angle	Special Feature
7W	73×H62	65	Multi Finish	13.5×13.5×11	24°	Anti-Glare
12W	85×H70	75	Multi Finish	13.5×13.5×11	38°	
18W	93×H78	85	Multi Finish	13.5×13.5×11	38°	

TIBREWALA ELECTRICALS

Enhance visual comfort with Halo Slim, minimizing harsh brightness while delivering smooth, focused illumination. Ideal for refined spaces that demand comfort with a sleek, modern touch.



IGNITE COB

7W / 12W / 18W


Features:

- Sharp beam
- High intensity
- Precise lighting
- Energy-efficient
- Ideal for accents

Power (W)	Dimension	Cut-Out (mm)	Body Color	Chip Size	Beam Angle	Special Feature
7W	88×H66	60	White/Black	13.5×13.5×11	24°	Focus beam
12W	93×H75	75	White/Black	13.5×13.5×11	38°	
18W	93×H85	85	White/Black	13.5×13.5×11	38°	

TIBREWALA ELECTRICALS

Engineered for precision, the Ignite COB delivers sharp and concentrated illumination. Perfect for highlighting specific areas with clarity and impact.



GLAZE FACE

7W / 12W / 18W


Features:

- Sharp beam
- High intensity
- Precise lighting
- Energy-efficient
- Ideal for accents

Power (W)	Dimension	Cut-Out (mm)	Body Color	Chip Size	Beam Angle	Special Feature
7W	63×H48	60	Multi finish	13.5×13.5×1 1	24°	Reflector design
12W	83×H55	75		13.5×13.5×1 1	38°	
18W	93×H60	85		13.5×13.5×1 1	38°	

TIBREWALA ELECTRICALS

Glaze Face enhances visual comfort by reducing glare and delivering soft, focused light. Perfect for spaces that demand elegance with ease.



RADIANT CORE

7W / 12W / 18W


Features:

- Reduced glare output
- Smooth light distribution
- Enhanced visual comfort
- Focused illumination
- Premium finish design

Power (W)	Dimension	Cut-Out (mm)	Body Color	Chip Size	Beam Angle	Special Feature
7W	68×H58	60	White/ Black	13.5×13.5×11	24°	Antiglare
12W	82×H68	75		13.5×13.5×11	38°	
18W	96×H78	78		13.5×13.5×11	38°	

TIBREWALA ELECTRICALS

Enhance visual comfort with Radiant Core, designed to minimise harsh brightness while delivering smooth, focused illumination. Ideal for creating a refined and comfortable lighting experience.



SPECTRA PRO

7W / 12W / 18W

Features:

- Reduced glare output
- Smooth light distribution
- Enhanced visual comfort
- Focused illumination
- Premium finish design

Power (W)	Dimension	Cut-Out (mm)	Body Color	Chip Size	Beam Angle	Special Feature
7W	70xH55	65	White / Black	13.5×13.5×11	24°	Focus Beam
12W	80xH68	75		13.5×13.5×11	38°	
18W	90xH80	85		13.5×13.5×11	38°	

TIBREWALA ELECTRICALS

Engineered for precision, Spectra Pro delivers sharp and concentrated illumination. Perfect for highlighting specific areas with clarity and impact.



EYEBALL FOCUS

12W

Features:

- Adjustable beam
- Flexible lighting
- Precise focus
- Energy-efficient
- Ideal for highlighting

Power (W)	Dimension	Cut-Out (mm)	Body Color
12W	82xH76	72	White

TIBREWALA ELECTRICALS

Direct light exactly where you need with Eyeball Focus, featuring a movable beam for precise illumination. Perfect for dynamic lighting setups with flexible control.



SPARK NEST

17W / 12W / 18W



Features:

- Sharp beam
- High intensity
- Precise focus
- Energy-efficient
- Ideal for accents

Power (W)	Dimension	Cut-Out (mm)	Body Color	Beam Angle	Special Feature
7W	68xH48	65	Multi Finish	24°	Focus Beam
12W	82xH58	75		38°	
18W	96xH66	85		38°	

TIBREWALA ELECTRICALS

Delivers sharp, concentrated light for precise highlighting and impactful illumination.



FRAME RADIANCE

7W / 12W

Features:

- Adjustable beam
- Flexible lighting
- Precise focus
- Energy-efficient
- Ideal for highlighting

Power (W)	Dimension	Cut-Out (mm)	Body Color	Beam Angle
7W	75×H90	65	White	38°
12W	85×H95	75	White	38°

TIBREWALA ELECTRICALS

Enjoy flexible lighting with Frame Radiance, designed to direct illumination exactly where needed. Perfect for precise and dynamic lighting control.



SURGE LIGHT

7W / 12W / 18W

Features:

- Adjustable beam
- Flexible lighting
- Precise focus
- Energy-efficient
- Ideal for highlighting

Power (W)	Dimension	Cut-Out (mm)	Body Color	Chip Size
7W	63×32	53	BK / WH	13.5×13.5×11
12W	80×40	70	BK / WH	13.5×13.5×11
18W	95×40	85	BK / WH	13.5×13.5×11

TIBREWALA ELECTRICALS

Engineered for precision, Surge Light delivers sharp, concentrated illumination with enhanced clarity. Perfect for highlighting key areas with impact.



PULSE COB

5W / 10W / 15W / 20W


Features:

- Adjustable beam
- Flexible lighting
- Precise focus
- Energy-efficient
- Ideal for highlighting

Power (W)	Dimension	Cut-Out (mm)	Body Color	Special Feature
5W	41x58	33	WH/BK + Grey	Lense Design
10W	51x59	43		
15W	62x60	54		
20W	83x78	75		

TIBREWALA ELECTRICALS

Enjoy flexible lighting with Pulse COB, designed to direct illumination exactly where needed. Perfect for precise and dynamic lighting control.



EMBER RECESS

7W/12W/18W


Features:

- High-intensity focused lighting
- Anti-glare illumination
- Energy-efficient performance
- Durable and long-lasting
- Suitable for multiple applications

Power (W)	Dimension	Cut-Out (mm)	Body Color	Chip Size	Beam Angle	Special Feature
7 W	63x61	50	White /Black	13.5×13.5×11	24°	Antiglare
12W	82×79	72	White /Black	13.5×13.5×11	38°	Antiglare
18W	90x88	78	White / Black	13.5×13.5×11	38°	Antiglare

TIBREWALA ELECTRICALS

Upgrade your lighting with Ember Recess, designed for powerful and focused illumination. With a sleek design and superior light output, they enhance any space with precision and modern appeal—ideal for both residential and commercial interiors.



TRIMLESS COB

7W/12W

Features:

- Seamless trimless design
- Focused and glare-free lighting
- Clean flush ceiling finish
- High efficiency performance
- Ideal for modern interiors

Power (W)	Dimension	Cut-Out (mm)	Body Color	Chip Size	Beam Angle	Special Feature
7W	39×H52,	35	RGD / BK	13.5×13.5×11	38°	Unique reflector
12W	60×H63	55	RGD / BK	13.5×13.5×11	38°	Unique reflector

TIBREWALA ELECTRICALS

Experience seamless lighting with Trimless COB Lights, designed to blend perfectly into your ceiling for a clean, frameless finish. Ideal for modern interiors, it delivers focused illumination while maintaining a minimal and sophisticated look.



SURFACE CYLINDER LIGHT

7W/12W/18W

Features:

- Sleek cylindrical design
- Surface-mounted installation
- Focused beam lighting
- Energy-efficient performance
- Ideal for accent and ambient lighting

Power (W)	Dimension	Body Color	Beam Angle	Special Feature
7W	60×70	BK / WH / GD	24°	Cylinder design
12W	73×85	BK / WH / GD	36°	
18W	87×100	BK / WH / GD	36°	

TIBREWALA ELECTRICALS

Add a modern touch to your space with Surface Cylinder Lights, designed for surface mounting with a sleek cylindrical form. They deliver precise, focused illumination while enhancing interiors with a stylish and contemporary look.



TRACK LIGHT

10W/20W/30W

Features:

- Adjustable lighting
- Flexible track system
- Focused beam
- Energy-efficient
- Ideal for display lighting

Power (W)	Size / Dimension	Body Color	Beam Angle
10W	50×125	BK / WH	36°
20W	65×150	BK / WH	36°
30W	75×180	BK / WH	36°

TIBREWALA ELECTRICALS

Bring flexibility to your lighting with Track Lights, designed to direct light exactly where needed. Perfect for highlighting products, artworks, or key areas, they combine functionality with a modern, stylish look.



GLIDE TRACK


Features:

- Strong PVC body
- Lightweight design
- Durable build
- Corrosion-resistant
- Long-lasting performance

Dimension	Body Color	Special Feature
1m / 2m	White / Black	Track system

TIBREWALA ELECTRICALS

Built with a durable Glide Track, it offers a lightweight yet sturdy design, ensuring long-lasting performance and reliable usage.



FLEXILUME STRIP LIGHT

120 LED / Meter & 240 LED Meter

WHITE/NEUTRAL WHITE/WARM WHITE

Features


- Flexible design
- Energy efficient
- Superior CRI output
- Maintenance-free
- Dimmable functionality
- Long life performance

SPECIFICATION	120 LED/METER	240 LED/METER
LED DENSITY	120 LEDs/m	240 LEDs/m
PCB WIDTH	8mm	10mm
LENGTH / REEL	5 Meter	5 Meter
CUTTING LENGTH	25mm / 50mm	25mm (approx)
POWER	9W / 11W per m	18W – 24W per meter
VOLTAGE	12V / 24V DC	12V / 24V DC
BEAM ANGLE	120°	120°
LUMEN OUTPUT	~28 lumen/LED	1800–2400 lm/m
CRI	70 / 80 / 90	≥80 (≥90 optional)
IP RATING	IP20	IP20 / IP65 / IP67
DIMMABLE	Yes	Yes
PCB MATERIAL	Copper PCB	High conductivity copper PCB

TIBREWALA ELECTRICALS

120 Flexilume Strip: Efficient and flexible lighting for everyday use with balanced brightness.

240 Flexilume Strip: High-density, dotless illumination for a brighter and more premium lighting experience.



FLEXILUME DRIVER

Features:

- Aluminium body
- Flickering free, no humming, instant start
- High efficiency thermal design for better heat dissipation.
- Operating temperature -10°C to 45°C
- Class 1 product electrical safety
- Constant voltage type design

Watt	Driver
60	12V-5A IP20
10	12V-10A IP20


TIBREWALA ELECTRICALS

Enhance your outdoor setups with the Flexilume Driver, built for durability and reliable performance. Its sleek design and advanced technology ensure stable power output, making it ideal for walls, corridors, and exterior applications. Designed for efficiency and long-lasting use.



ROPE GLOW

Power That Glows.
Quality That Shows.


 COLOR OPTIONS THAT MATCH EVERY MOOD
COOL WHITE | WARM WHITE | GREEN | BLUE | ICE
BLUE | PINK | AMBER | RED

Why P10C Series is a Game Changer?

- ✦ **Premium 2835 – 120 LEDs per meter**
Delivers uniform, continuous glow with zero dark spots.
- ✦ **Stunning 900 Lumens per meter**
Brighter, clearer and remarkably efficient.
- ✦ **8W per meter output**
High brightness with low power consumption.
- ✦ **IP65 Waterproof Assurance**
Designed for all-weather outdoor & indoor applications.
- ✦ **High CRI > 80**
True-to-life colours. Perfect for architects, décor, events & profiles.
- ✦ **Ultra-long Rated Life: 50,000 Hours**
Built to last. Built for professionals.
- ✦ **100 Meter Mega Roll**
Seamless installation. Perfect for large projects & commercial lighting.

TIBREWALA ELECTRICALS

Experience the next evolution of LED lighting with our P10C Series 10mm Rope Light – engineered for brilliance, durability & unbeatable performance.





TIBREWALA ELECTRICALS
Committed to Quality & Service

OUTDOOR SEGMENT

TIBRALUME PATHWAYS STREET LIGHT

24W/36W/50W

COOL WHITE/WARM WHITE


Features:

- Uniform light distribution
- Efficient heat dissipation
- Wide temperature operation
- UV/IR free & mercury-free
- Low THD (<15%)

Wattage	24W	36W	50W
Casting Weight	0.230 kg	0.275 kg	0.340 kg
PCB Size	50 × 120 mm	70 × 143 mm	90 × 171 mm
Casting Size	100 × 270 mm	130 × 300 mm	158 × 330 mm
Driver Area (L×W×D)	70 × 45 × 32 mm	95 × 55 × 35 mm	105 × 55 × 35 mm
Pipe I.D.	38 mm	38 mm	38 mm
Total Weight	0.280 kg	0.370 kg	0.480 kg

TIBREWALA ELECTRICALS

Enhance your outdoor spaces with Tibralume Pathways Street Light, engineered for powerful and uniform illumination. Built with IP65 protection, it performs reliably in all weather conditions, ensuring durability and consistent brightness year-round. Perfect for improving safety and visibility in any outdoor environment.





LED BULKHEAD

10W/20W

CCOOL WHITE/NEUTRAL WHITE/WARM WHITE


Features:

- Uniform light
- Weather-resistant
- Easy installation
- Energy-efficient
- Indoor & outdoor use

Watt	10W	20W
CCT	CW / WW	CW / WW
Body Colour	White / Black	White / Black
IP65 Rating	Yes	
Shape	Oval	Oval
Outer Size	68 × 169 mm	100 × 208 mm

TIBREWALA ELECTRICALS

Enhance your outdoor spaces with the Led Bulkhead Light, designed for durability and modern appeal. Its sleek form and efficient lighting make it ideal for walls, corridors, and exterior areas, delivering a soft yet effective illumination



ULTRALUME FLOOD LIGHT

TIBREWALA ELECTRICALS


Applications

- Warehouses & factories
- Petrol pumps & canopies
- Outdoor security lighting
- Toll plazas & highways
- Buildings & monuments
- Billboards & signage

Key Highlights

- The breather gland prevents moisture buildup
- SS cable gland for secure wiring
- Advanced heat sink design
- Optical lens for proper beam distribution
- 320° adjustable mounting bracket
- Unbreakable lens for durability

Illuminate large spaces with the Ultalume Flood Light, engineered for powerful and uniform brightness. Built with a robust aluminium housing and advanced optical lens design, it ensures high performance, durability, and reliable operation in all weather conditions—ideal for outdoor and industrial applications.



SKYBEAM PRO


Cool White | Warm White | Neutral White
Green | Blue | Pink | Red | 2IN1 | 5050

- Features
- Die-cast aluminium body
- IP65 dust & water resistant
- In-built high-performance driver
- Wide voltage range
- Efficient heat sink
- Energy-efficient & reliable
- Surge protection

Watt	100W	150W	200W
Dimensions (mm)	255 × 255 × 100	355 × 355 × 110	385 × 385 × 115

TIBREWALA ELECTRICALS

High-performance High Bay Flood Light is designed for powerful, uniform illumination in industrial and large spaces. Built with a durable die-cast body, IP65 protection, and energy-efficient technology for long-lasting reliability.



BOLLARD LIGHTS

TIBREWALA ELECTRICALS



Square Sentinel



Legged Lumina



Round Guardian



Elite Beacon



Mushroom Halo



Cube Horizon

BOLLARD LIGHTS

TIBREWALA ELECTRICALS



Curvy Eclipse



Cone Nebula



Cylinder Aurora



Diamond Prism



Cabana Crest



Floral Radiance



Diamond Apex

GATE LAMP

TIBREWALA ELECTRICALS



Gate Majesty



Swiss Portal



Sky Vault



Trophy Arch



Victory Gate



Cube Fortress



Quadra Entrance

SPIKE

TIBREWALA ELECTRICALS



Spot Ember




Wall Whisper



Floor Glow



Triad Spark



Lens Focus



Spike Zenith sunsunled



TIBREWALA ELECTRICALS
Committed to Quality & Service

Contact Us



Tibrewala Electricals, Masumpara,
Nalgorahat, South 24 Parganas,
West Bengal – 700103.



+91 8336069303



sales@tibrewalaelectricals.com
care@tibrewalaelectricals.com



www.tibrewalaelectricals.com
